

Work Order ID 70970

Monday, June 20, 2011 2:33:23 PM



Page 1

Item ID:	D2252-7	Accept		Setup	Start	
Revision ID:						
Item Name:	Frame				Stop	
Start Date:	6/20/2011	Start Qty:	4.00			
Required Date:	6/23/2011	Req'd Qty:	4.00			
Reference:						

Approvals:	Process Plan:		Date:	11-06-20	Tooling:		Date:		Run	Start	
	QC:		Date:		SPC (Y/N):		Date:			Stop	

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr								
----------	--------------	--	--	--	--	--	--	--	--

100		0.00							
Large Fab									
Large Fab	Memo	0.00							
	1- Cut as per dwg D2252								
	2- Deburr and remove identification markings on tube								

PAB 11/07/20 (4)

110	QC5- Inspect part completeness to step on W/O	0.00							
QC									
Quality Control	Memo	0.00							

(44)

120	Identify as per dwg & Stock Location: WAS	0.00							
Packaging									
Packaging	Memo	0.00							

11.07.20 (4)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 70970

Monday, June 20, 2011 2:33:23 PM



Page 2

Item ID: D2252-7

Accept



Setup Start



Revision ID:

Stop



Item Name: Frame

Start Date: 6/20/2011 Start Qty: 4.00



Cust Item ID:

Required Date: 6/23/2011 Req'd Qty: 4.00



Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run Start



QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130



QC


Quality Control

QC21- Final Inspection - Work Order Release

0.00

Memo

0.00

11/7/21 
MF 11-07-20

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Monday, June 20, 2011 2:33:29 PM

Page 1

Work Order ID: 70970

Parent Item: D2252-7

Parent Item Name: Frame



Start Date: 6/20/2011

Required Date: 6/23/2011

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev:A 10.09.08 new issue verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304TS0.750W.065		Purchased	No			100	f	621.2629	2	8.421053			

304 SQ Tube .75x.75x.065W

Location	Loc Qty	Loc Code
MAT018	507.4079	
117598	429.7092	
117636	77.6987	
WA007	113.8549906	
116267	99.549272	
116763	14.3057186	

M118181

- 8.421053 PMB 11/07/20 (4)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -041	QTY -043	PART NUMBER	DESCRIPTION
1	X		D2252-041	BASKET ASSEMBLY
3		X	D2252-043	LID ASSEMBLY
7	2	2	D2221-1	RIB
8	5		D2235-1	RIB
9	2	2	D2252-1	FRAME
10		2	D2252-7	FRAME
11	1		D2252-9	FRAME
12	1		D2252-11	FRAME
13	1		D2252-13	FRAME
14	1		D2252-15	FRAME
15	4		D2252-17	FRAME
16		1	D2252-23	FRAME
17	2		D2253-1	LUG
18	2		D2254	GUSSET
19	1	1	D2327-3	BUSHING
20		1	D2329	LABEL PLATE
21	4	2	D2581	MOUNTING CHANNEL
22		2	D2989-19	RIB
23	3		D3748-1	HINGE HALF
24		3	D3749-1	HINGE HALF

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 70970

G	ADDED 'ITEM' COLUMN TO PARTS LIST; ADDED NOTE 10 ON SHT 2; ITEMS 23 AND 24 REPLACE D2232-1/-3; STRETCHED LID FROM 95.27" TO 96.00"; ITEM 7 REPLACES D2252-3/-19; ITEM 19 (ON LID) REPLACES D2327-1; ITEM 22 REPLACES D2252-21; UPDATED TOOLING (ZIN A6-S). P/N REASON: SEE PAR#09-006.	MB	09.02.03
F	DRAWING UPDATED TO CURRENT STANDARDS. SHT 6 ADDED. SHT 2 VIEWS INVERTED FOR CLARITY. FRAME MATERIAL THICKNESS WAS 0.060.	AJS	08.08.11
E	INCORPORATED D1 & D2. ADDED D2231-1/-3 & D2252-19.	MB	05.11.10
D	MODIFIED LATCH, D2581 WAS D2255-3	BK	99.09.14
C	RE-DRAWN	BK	95.12.11
REV.	DESCRIPTION	BY	DATE
DESIGN	JB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JB		
CHECKED	JB	DRAWING NO.	REV. G
MFG. APPR.	JB	D2252	SHEET 1 OF 6
APPROVED	JB	TITLE	SCALE
DE APPR.	JB	BASKET ASSEMBLY (206L)	NTS
DATE	09.02.03	<small>COPYRIGHT © 1994 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES, IN WHOLE OR IN PART, OR REPRODUCED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.</small>	

NOTES:

- 1) FRAME MATERIAL: AISI 304/316 SS, 3/4 x 3/4 x 0.065 WALL SQUARE TUBING
REF. DART SPEC M304TS0.750W.065
- 2) MESH MATERIAL: 3/4-16F EXPANDED SS
REF DART SPEC M304EX0.75-16F
- 3) FINISH: POWDER COAT ASSEMBLY GLOSS WHITE (4.3.5.2) PER DART QSI 005 4.3
- 4) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) BREAK SHARP EDGES: N/A
- 7) IDENTIFICATION: N/A
- 8) WEIGHT: N/A
- 9) WELDING: PER DART QSI 004


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



LID FRAME NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) WELDING: PER DART QSI 004
- 9) ALIGN WITH ADJACENT D2581 ON BASE
- 10) CENTER D3749-1 HINGE HALF ON D3748-1 HINGE HALF LOCATED ON D2252-041 BASKET BASE ASSEMBLY

D2252-043 LID FRAME

DESIGN	JB	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D2252	SHEET 2 OF 6
APPROVED		TITLE	SCALE
DE APPR.		BASKET ASSEMBLY (206L)	NTS
DATE	09.02.03	COPYRIGHT © 1994 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMPILED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

20 70970



D2252-041 BASE FRAME ASSEMBLY

- BASE FRAME NOTES:**
- 1) MATERIAL: N/A
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: N/A
 - 7) WEIGHT: N/A
 - 8) WELDING: PER DART QSI 004

DESIGN	JB	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D2252	REV. G
MFG. APPR.		SHEET 3 OF 6	
APPROVED		TITLE	SCALE
DE APPR.		BASKET ASSEMBLY (206L)	NTS
DATE	09.02.03	<small>COPYRIGHT © 1994 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE LOANED, REPRODUCED, COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

RELEASED
09/02/03

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

8 7 6 5 4 3 2 1




SECTION G-G
C3-4
ROTATED 90° CCW


TACK WELD EACH
STRAND END OF
STEEL MESH TO FRAME



D2252-043 LID ASSEMBLY



D2252-041 BASE ASSEMBLY



ASSEMBLY NOTES:

- 1) MATERIAL: SEE SHEET 1 FOR MESH MATERIAL
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) WELDING: PER DART QSI 004

cel 70970

9/12/15

DESIGN	UB	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D2252	SHEET 4 OF 6
APPROVED		TITLE	SCALE
DE APPR.		BASKET ASSEMBLY (206L)	NTS
DATE	09.02.03	COPYRIGHT © 1994 BY DART AEROSPACE LTD	

8 7 6 5 4 3 2 1

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector








Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ab 70970



RELEASED
09/02/03

DESIGN	JB	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D2252	SHEET 5 OF 6
APPROVED		TITLE	SCALE
DE APPR.		BASKET ASSEMBLY (206L)	NTS
DATE	09.02.03	<small>COPYRIGHT © 1994 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE REPRODUCED OR COPIED OR COMMUNICATED TO ANY OTHER PERSON OR FIRM WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



8 7 6 5 4 3 2 1

D



C

B



A



D2252-7 FRAME
D2252-9 FRAME
D2252-11 FRAME
D2252-13 FRAME
D2252-15 FRAME
D2252-23 FRAME



D2252-1 FRAME



D2252-17 FRAME

- NOTES:
 1) FRAME MATERIAL: SEE SHEET 1
 2) FINISH: NONE
 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 6) IDENTIFICATION: N/A
 7) WEIGHT: N/A

u/b 70970

RELEASED
2/10/18/18

DESIGN	JB	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. G
MFG. APPR.		D2252	SHEET 6 OF 6
APPROVED		TITLE	SCALE
DE APPR.		BASKET ASSEMBLY (206L)	NTS
DATE	09.02.03	COPYRIGHT © 1994 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.			

8 7 6 5 4 3 2 1

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries